


仕組み

http://wms2.kushiro-ct.ac.jp/

- ▶ Top Page
- ▶ **心と身体のアナケート**
- ▶ H26年度利用申請
- ▶ パスワードの変更
- ▶ KNCT授業変更掲示板
- ▶ ウィルス対策情報
- ▶ ネットワーク講習会用
- ▶ Webのアクセス制限
- ▶ メールについて
- ▶ 印刷について
- ▶ Microsoft包括ライセンス
- ▶ DreamSparkについて

A screenshot of the Roundcube webmail login page. The page has a dark grey background. At the top left, the 'roundcube' logo is displayed with a blue cube icon. Below the logo, there are two input fields: 'ユーザー名' (Username) with the value 'p140199' and 'パスワード' (Password) with a masked password of 14 black dots. A 'ログイン' (Login) button is centered below the password field. At the bottom of the page, the text 'Webmail • [サポートを得る](#)' is visible.

メールの設定の確認

The screenshot shows the '設定' (Settings) page in an email client. The left sidebar has '設定' (Settings) at the top, followed by 'フォルダー' (Folders), '識別情報' (Identification Information), and 'フィルター' (Filters). The '識別情報' section is highlighted with a red box and a circled '2'. The main content area shows '項目の編集' (Edit Item) for 'kosimizu <kosimizu@cc.k...' with a red box and a circled '3'. Below this is the '設定' (Settings) section with fields for '表示名' (p140199), '電子メール' (p140199@157.114.220.13), '企業名', '返信先', '隠した写し(Bcc)', and '初期値を設定' (checked). The '返信先' field has a red box and a circled '4', with red text below it: 'ユーザー名@cc.kushiro-ct.ac.jp' and 'に書き換える 例えば p140199@cc.kushiro-ct.ac.jp'. The '署名' (Signature) section is empty. At the bottom, the 'HTMLの署名' checkbox is unchecked, and the '保存' (Save) button is highlighted with a red box and a circled '5'.

設定

②

設定

フォルダー

識別情報

フィルター

識別情報

kosimizu <kosimizu@cc.k...

↑

③

項目の編集

設定

表示名

p140199

電子メール

p140199@157.114.220.13

企業名

↑④

返信先

ユーザー名@cc.kushiro-ct.ac.jp

に書き換える 例えば

p140199@cc.kushiro-ct.ac.jp

隠した写し(Bcc)

初期値を設定

署名

署名

HTMLの署名

保存

←⑤

The screenshot shows the 'Filter' settings page in an email client. The left sidebar has '設定' (Settings) > 'フィルター' (Filter) selected, indicated by a red box and arrow ①. The main area shows a list of filter sets: 'phpscript' (indicated by a red box and arrow ②) and 'Emergency' (indicated by a red box and arrow ③). The 'Emergency' filter is selected, and its definition is shown in the right pane. The filter name is 'Emergency'. The '受信したメールの処理' (Processing of received mail) section has '次のルールのすべてに一致' (Match all the following rules) selected. The first rule is '件名' (Subject) '含む' (Contains) '[Emergency]'. The second rule is '発信者' (Sender) '次に等しい' (Is equal to) 'ems@kushiro-ct.ac.jp'. The '以下の操作を実行' (Perform the following actions) section has '次にメッセージを移動' (Move message to) '受信箱' (Inbox), '次のメールアドレスに転送' (Forward to the following email address) 'dummy@cc.kushiro-ct.ac.jp' (indicated by a red box and arrow ④), and 'ルールの評価を停止' (Stop evaluating rules). A '保存' (Save) button is at the bottom left (indicated by a red box and arrow ⑤). A checkbox for 'フィルターを無効にしました。' (Disable filter) is at the bottom right.

① ↑ フィルター

② ↑ phpscript

③ ↑ Emergency

managesieve
の場合もある

フィルターの名義: Emergency

受信したメールの処理:
 次のルールのすべてに一致 次のルールのいずれかに一致 すべてのメッセージ

件名 含む [Emergency]

発信者 次に等しい ems@kushiro-ct.ac.jp

以下の操作を実行:

次にメッセージを移動 受信箱

次のメールアドレスに転送 dummy@cc.kushiro-ct.ac.jp

ルールの評価を停止

保存

④ ↑ ここを自分の携帯電話のメールアドレスに変更する
例えば abcd1234@docomo.co.jp

フィルターを無効にしました。

質問はこちら

緊急連絡用メール設定の質問先

情報処理センター 予備室

小清水まで

内線 : 7391

E-mail : kosimizu@kushiro-ct.ac.jp